LIST OF CONTENTS

NUMBER 1

Driss Elothmani, Georges Le Guillanton et Jacques Simonet	1	Polymérisation anodique des amines aromatiques—I. Comportement particulier de la diphenylamine en milieu organique fortement acide à haut potentiel
J. L. Acosta, E. Morales, M. Paleo and J. R. Jurado	13	Polymeric composites based on vanadium oxides as cathodes for rechargeable lithium batteries—I. Microstructural and electrical characterization
Maïté Guillaume and Bernard Sebille	19	Study of a polymer immobilized on silica gel as stationary phase for chiral liquid chromatography
Jean Luc Gineste, Christophe Largueze and Gerald Pourcelly	27	Synthesis and characterization of polymer film obtained by grafting of acrylic monomer onto radioperoxided poly(ethylene-tetrafluoroethylene) copolymer in the presence of polyfunctional monomers. Stability in basic solutions
E. Sheng, I. Sutherland, R. H. Bradley and P. K. Freakley	35	Effects of a multifunctional additive on bound rubber in carbon black and silica filled natural rubbers
Franco Cataldo	43	On the polymerization of *p*-phenylenediamine
Paresh Chandra Ray and Puspendu Kumar Das	51	Influence of poling methods on the orientational dynamics of 2-methyl-4-nitro-aniline in poly(methyl methacrylate) studied by second harmonic generation
H. F. Zhang, B. Q. Yang and Z. S. Mo	57	Small angle X-ray scattering study of structural parameters of the aggregated state in polyamide 1010 + BMI
I. I. Vointseva, L. M. Gilman, Yu. P. Kudryavtsev, S. E. Evsyukov, L. A. Pesin, I. V. Gribov, N. A. Moskvina and V. V. Khvostov	61	Chemical dehydrochlorination of polytrichloro-butadienes—a new route to carbynes
Christian Carrot and Vincent Verney	69	Determination of a discrete relaxation spectrum from dynamic experimental data using the Padé–Laplace method
Abraham Varghese, K. J. Scariah, S. C. Bera, M. Rama Rao and K. S. Sastri	79	Processability characteristics of hydroxy terminated polybutadienes
Asfia Qureshi, Carl H. Schiesser and David H. Solomon	85	Investigations into free radical polymerizations of allyl carbonates—II. An MNDO study of hydrogen atom abstraction by hydroxyl radical
Wen-Bing Liu, Wen-Faa Kuo, Chih-Jung Chiang and Feng-Chih Chang	91	*In situ* compatibilization of PBT/PPO blends
Soon Hong Yuk, Sun Hang Cho, Byung Chunl Shin and Hai Bang Lee	101	A novel semi-interpenetrating networks system as an absorbent material
S. Thamizharasi, P. Gnanasundaram, K. Venkata Rao and A. Venkata Rami Reddy	105	Copolymers of 4-nitrophenyl acrylate with styrene: Synthesis, characterization and monomer reactivity ratios
M. Abdel Azzem, U. S. Yousef and G. Pierre	111	Electrolytically initiated p-chloro-α-methylstyrene polymerization
Ö. Pekcan	117	Fluorescence lifetime distributions: Applications to high and low viscosity media in polymer blend-like particles

M. Zamora, M. Strumia and H. E. Bertorello 125 A study of the chelation behavior of heavy metal ions using a new synthetic support: PAS-GLUT

Lubomír Šimek and Miloslav Bohdanecký 129 Volumetric properties of aqueous solutions of triblock (PEP) copolymers of ethylene oxide and propylene oxide

NUMBER 2

C. Alfiguigui, B. Améduri, J. M. Bessière and B. Boutevin 135 Investigations in the competition of the cleavage of the C–Cl bond of a telogen that exhibits both trichloromethyl and dichloromethylene groups for the redox telomerization of methylmethacrylate and ethylacrylate

Y. Geerts, S. Gillard and G. Geuskens 143 Morphology and permeability of polymer blends—I. Crosslinked EPDM–silicone blends

Bernard Gallot and Florence Monnet 147 Thermotropic liquid-crystalline comb-like polymers with polyacrylamide main chain—1. Synthesis and mesomorphic structures of polymers with lipobiphenyl side chains

P. Citovický, V. Chrástová and M. Földesová 153 The copolymerization of styrene and maleic anhydride initiated by peroxides of isotactic polypropylene

Bernard Boutevin, Bachar Hamoui, Jean-Pierre Parisi and Bruno Améduri 159 Homopolymerization and copolymerization of salt formed from a new diethyl styrenic phosphonate monomer

Premamoy Ghosh and Debaprasad Dev 165 Graft copolymerization of mixtures of acrylamide and methyl methacrylate on dialdehyde cellulose (DAC) from cotton in a limited aqueous system

Takashi Sasaki, Tomoya Tojima and Toshisada Takahashi 173 Temperature dependence of the density fluctuations of poly(vinyl acetate) in the glassy state studied by X-ray thermal diffuse scattering

Gaurab Das, Amar Nath Banerjee and B. C. Mitra 179 A DSC study of poly(styrene-co-acrylonitrile) and poly(vinyl chloride-co-vinyl acetate) blends produced using different blending techniques

K. Guemra, A. Mansri, P. F. Casals et J. P. Monthéard 185 Photodégradabilité de polycétones linéaires diversement substituées par des groupes phényle

Ahmed Kessat and André Babadjamian 193 Synthesis of insoluble polymer-supported thiazoles and use of 2-methyl-4-poly(styrylmethyl) thiazolium hydrotribromide as a new brominating reagent

D. Ruckert and G. Geuskens 201 Surface modification of polymers—IV. Grafting of acrylamide via an unexpected mechanism using a water soluble photo-initiator

N. Jocheska, G. Petrov, A. Janevski et A. Sebenik 209 Étude cinétique de réaction de polymérisation de l'acrylonitrile dans des solutions aqueuses de NaSCN amorcée par $Mn(C_5H_7O_2)_2$ NCS

Der-Jang Liaw, Hao-Hsien Chiang, Bing-Hung Jin and En-Tang Kang 215 Metathesis copolymerization of norbornene with *tert*-butylacetylene initiated by a tungsten carbene complex

Madalena C. Forte and Fernanda M. B. Coutinho 223 Highly active magnesium chloride supported Ziegler–Natta catalysts with contolled morphology

Ryuichiro Yoda, Shigeru Komatsuzaki and Toshio Hayashi 233 Membrane properties of A–B–A type block copolymer consisting of poly(γ-benzyl-L-glutamate) as the A component and polyisoprene as the B component

Barry Thomson, Kevin Suddaby, Alfred Rudin and Gilles Lajoie 239 Characterisation of low molecular weight polymers using matrix assisted laser desorption time-of-flight mass spectrometry

F. Fernandez-Nograro, A. Valea, R. Llano-Ponte and I. Mondragon 257 Dynamic and mechanical properties of DGEBA/poly(propylene oxide) amine based epoxy resins as a function of stoichiometry

Short Communication
A. Varada Rajulu and P. Mabu Sab 267 Ultrasonic studies of water/poly(ethylene glycol) mixtures

Announcements I

NUMBER 3

A. Mansri, P. F. Casals, A. Oulmidi, K. Guemra et D. Reyx 269 Nouveaux polymères styréniques à chaînes latérales céto-énol—I. Synthèse et (co)polymérisations de β-dicétones monomères

A. Mansri, P. F. Casals, A. Oulmidi, K. Guemra et D. Reyx 277 Nouveaux polymères styréniques à chaînes latérales céto-énol—II. Synthèse et polymérisation de β–β-tricétones monomères

Manjunath Kamath and Braja K. Mandal 285 Crosslinked copolymers of cyanoethylated cellulose

J. R. Ebdon and N. J. Flint 289 Preparation of α,ω-aldehyde-ended telechelic methyl methacrylate oligomers by the oxidative cleavage of statistical methyl methacrylate-buta-1,3-diene copolymers

J. M. G. Cowie and H. W. Hunter 295 Comb-branch chiral liquid crystalline polymers—IV. Copolymers of (S)-2-[2-(4′-methoxy-4-biphenyl-oxy)-1-methyl ethoxy] ethyl methacrylate and a non chiral mesogen based on itaconic acid

Qi Wang, Jun Gao and Yuqin Qian 299 A study on ionic conductivity of a new polymer solid electrolyte

E. Favre, Q. T. Nguyen, R. Clement and J. Neel 303 Application of Flory–Huggins theory to ternary polymer–solvents equilibria: a case study

F. E. Okieimen and D. E. Ogbeifun 311 Graft copolymerizations of modified cellulose: grafting of methyl acrylate, ethyl acrylate and ethyl methacrylate on carboxy methyl cellulose

Petr Sysel, Věra Konečná and Karel Volka 317 Structure-curing relation for polyamic acids

Qipeng Guo, Jinyu Huang and Xiaoqing Li 321 Miscibility of poly(vinyl methyl ketone) with poly(2-hydroxyethyl methacrylate) and poly(epichlorohydrin)

M. Bankova, Ts. Petrova, N. Manolova and I. Rashkov 325 5-Chloro-8-quinolinyl acrylate and *N*-vinyl-2-pyrrolidone copolymers: synthesis, characterization and complexes with poly(methacrylic acid)

Mari Eskelinen and Jukka V. Seppälä 331 Effect of polymerization temperature on the polymerization of ethylene with dicyclopentadienylzirconiumdichloride/methylalumoxane catalyst

Bernard Boutevin et Abderrahim El Bachiri	337	Copolymérisation des éthers allyliques à extrémité époxyde avec des monomères porteurs de groupes accepteurs d'électrons—III. Copolymérisation de deux nouveaux éthers allyliques époxybicyclo-aliphatiques
A. R. Morales and R. E. S. Bretas	349	Polyetherimide/poly(ether ether ketone)/liquid crystalline polymer ternary blends—I. Calorimetric studies and morphology
A. R. Morales and R. E. S. Bretas	365	Polyetherimide/poly(ether ether ketone)/liquid crystalline polymer ternary blends—II. Approximated interaction parameters and phase diagrams
Güneri Akovali, Zakir M. O. Rzaev and D. G. Mamedov	375	Plasma surface modification of polyethylene with organosilicon and organotin monomers
Wen-Yen Chiang and Chia-Hao Hu	385	The improvements in flame retardance and mechanical properties of polypropylene/FR blends by acrylic acid graft copolymerization
N. I. Zhitariuk, A. Fiderkiewicz, M. Buczkowski, G. N. Kovalev, O. L. Orelovich and T. Żółtowski	391	Tensile properties of electron irradiated track membranes
E. H. El-Mossalamy and A. A. Khalil	397	Synthesis and investigation of N-methylacryloyl-oxytetrabromophthalimide polymer complexes with some transition metal chlorides
Short Communication		
F. Szőcs, M. Klimová, I. Chodák and I. Chorváth	401	EPR study of free radical decay in low density polyethylene filled with silica
Corrigendum	403	
Announcement	I	

NUMBER 4

Jeong Hwan Choi, Jin Suk Chung, Ho Woo Shin, In Kyu Song and Wha Young Lee	405	The effect of alcohol treatment in the preparation of $MgCl_2$ support by a recrystallization method on the catalytic activity and isotactic index for propylene polymerization
H. Ismail and P. K. Freakley	411	Determination of the modes of action of a cationic surfactant for property development in silica-filled natural rubber compounds
D. Madheswari, K. Subramanian and A. V. Rami Reddy	417	Synthesis and characterization of polymers with a photosensitive group
Qipeng Guo, Jinyu Huang and Xiaoqing Li	423	Miscibility of poly(*N*-vinyl-2-pyrrolidone) with poly(hydroxyether of phenolphthalein) and polyacrylonitrile
A. Mas, J. Sledz et F. Schue	427	Membranes en polyhydroxybutyrate et poly(hydroxybutyrate-*co*-hydroxyvalerate) pour la microfiltration: influence du non-solvant sur les propriétés hydrodynamiques
A. Mas, H. Jaaba, J. Sledz et F. Schue	435	Membranes en PHB, P(HB-*co*-9% HV), P(HB-*co*-22% HV) pour la microfiltration ou la pervaporation propriétés filtrantes et état de surface

Cyarthur Deacon and Charles A. Wilkie	451	Graft copolymerization of acrylic acid on to acrylonitrile–butadiene–styrene terpolymer and thermal analysis of the copolymers
Taïeb Aouak et Alain Petit	457	Étude de l'efficacité catalytique des systèmes Ziegler–Natta a base de carboxylate de fer(III) et de triéthylaluminium: application a la polymérisation de l'hex-1-yne
S. Janietz and B. Schulz	465	Electrochemical investigations on poly(arylene-1,3,4-oxadiazole)s
A. Dasgupta	475	Synthesis and copolymerization of *N*-tert-butyldimethylsilylacrylamide: a new acrylamide precursor
V. Boucard, Ph. Dumas, P. Sigwalt, Ph. Guérin and A. Fadel	481	Living stereospecific and enantioasymmetric polymerization of methylthiirane initiated by various bis(alkyl-S-cysteinato)cadmium
Stephen W. Bigger, Peter J. Watkins, Michael A. Raymond, Serguei S. Verenich and John Scheirs	487	Characterization of oligomeric by-products produced during the high-pressure polymerization of ethylene
Yi-Chieh Wang, Kueir-Rarn Lee and J. Y. Lai	493	Pervaporation of aqueous alcohol mixtures through a chemically grafted glycidyl methacrylate on to poly(4-methyl-1-pentene) membrane
Gérard Bauduin, Bernard Boutevin, Mohamed Belbachir and Rachid Meghabar	501	Copolymerization of glycidyl methacrylate and *N*-vinyl pyrrolidone: an example for testing a new method to determine reactivity ratios
Jean-Claude Brosse, Emmanuelle Wattiez and Daniel Wattiez	505	Copolymerization of acrylic oligomer with 2-hydroxyethyloxazolidone acrylate—II
J. R. Allan, B. R. Carson and I. J. Wood	511	The spectral and magnetic properties of the cobalt(II) and copper(II) complexes of phthalic acid and a study of their performance as colouring materials for poly(vinyl chloride) and polyethylene
Rita Mendez, K. Usha, K. K. Mohammed Yussuf and V. N. Sivasankara Pillai	515	Studies on metal complexes of SMH resin
Emmanuelle Wattiez, Daniel Wattiez et Jean-Claude Brosse	523	Étude de la copolymérisation d'oligomère acrylique avec la *N*-vinyl-2-pyrrolidone—I
M. Briššová and E. Štaudner	529	Behaviour of MAn-based polyelectrolytes in water solutions: influence of pH and ionic strength

NUMBER 5

Li Yang, Frank Heatley, Trevor G. Blease and Robert I. G. Thompson	535	A study of the mechanism of the oxidative thermal degradation of poly(ethylene oxide) and poly(propylene oxide) using ^{1}H- and ^{13}C-NMR
C. Decker, T. Nguyen Thi Viet et H. Le Xuan	549	Photoréticulation de caoutchoucs fonctionnalisés—IV. Synthèse de caoutchoucs à groupements acrylates
C. Decker, T. Nguyen Thi Viet et H. Le Xuan	559	Photoréticulation de caoutchoucs fonctionnalisés—V. Polymérisation radicalaire de caoutchoucs à groupements acrylates

M. Bankova, Ts. Petrova, N. Manolova and I. Rashkov 569 Homopolymers of 5-chloro-8-quinolinyl acrylate and 5-chloro-8-quinolinyl methacrylate and their copolymers with acrylic and methacrylic acid

Yeong-Soon Gal, Won-Chul Lee, Sam-Kwon Choi, Yun-Chul Kim and Bal Jung 579 Polymerization of tripropargylamine by transition metal catalysts and molecular structure of poly(tripropargylamine)

G. G. Cameron, M. Y. Qureshi and S. C. Tavern 587 Blends of immiscible polymers compatibilized with block copolymer: a spin-label study

C. Rueda-Rodriguez, C. Arias-Garcia et L. Bardet 593 Polymérisation de l'acide silicique—III. Determination de la vitesse de polycondensation a partir d'une étude rheologique

P. Sakellariou and K. Kapadia 601 Diffusion of organic molecules through epoxy/acrylic copolymer films

Madalena C. Forte and Fernanda M. B. Coutinho 605 The influence of catalyst system and polymerization conditions on polypropylene properties

R. R. Joshi and S. K. Gupta 613 Synthesis, characterization, biotoxicity and antifouling study of a new organotin monomer and polymer

J. Dietrich, P. Hirt and H. Herlinger 617 Electron-beam-induced cyclisation to obtain C-fibre precursors from polyacrylonitrile homopolymers

Yeong-Tarng Shieh and Samuel P. Sawan 625 Cross-linking of hydropolysilanes for use as silicon carbide precursors

Ernesto Pérez, Zhen Zhu, Antonio Bello, José M. Pereña and Rosario Benavente 631 Solubility of liquid crystalline copolybibenzoates

N. Gupta and A. K. Srivastava 635 Ionomer IPNs formed by transition metal coordination of styrene-based polymers

Moriyuki Sato, Tomohiro Hirata, Tomoaki Kamita and Ken-Ichi Makaida 639 Thermotropic liquid crystalline aromatic–aliphatic polyimides—5. Preparation and properties of homo- and copoly(imide-carbonate)s based on benzophenonetetracarboxylic diimide and biphenyl units

A. A. Khalil, H. Y. Moustafa and M. M. H. Arief 647 Synthesis and exchange reactions of poly-N-acryloyloxytetrabromophthalimide as activated polymer

H. Kothandaraman and M. Saroja Devi 651 Kinetics of polymerization of 1-octene with the catalyst systems $VO(acac)_2$-$AlEt_3$ (or $AlEt_2Br$)

Short Communications

Susanta Banerjee, Chhaya Saxena, Pranav K. Gutch and Dinesh C. Gupta 661 Poly-Schiff bases—II. Synthesis and characterization of polyetherketoimines

Deben Chen, Gaoquan Li, Yiming Mo and Fenglian Bai 665 Studies on the room-temperature solution fluorescence quenching of polysilane copolymers by bromohydrocarbons

NUMBER 6

C. David, A. Daro, E. Szalai, T. Atarhouch and M. Mergeay 669 Formation of polymeric pigments in the presence of bacteria and comparison with chemical oxidative coupling—II. Catabolism of tyrosine and hydroxyphenylacetic acid by *Alcaligenes eutrophus* CH34 and mutants

Contents

Mária Omastová, Jürgen Pionteck and Stanislav Košina 681 Preparation and characterization of electrically conductive polypropylene/polypyrrole composites

M. Younus Qureshi and Matthias Ochel 691 Synthesis and characterization of high molecular weight poly(trimethylene oxide)

G. S. Srinivasa Rao, M. S. Choudhary, M. K. Naqvi and K. V. Rao 695 Functionalization of isotactic polypropylene with acrylic acid in the melt: synthesis, characterization and evaluation of thermomechanical properties

B. Boutevin, B. Youssef, L. Abdellah et N. M. Dinia 701 Synthèse et propriétés de polysiloxanes photoréticulables—IV. Polysiloxanes à greffons perfluorés et à greffons uréthanes vinyliques

T. Aouak et A. Petit 709 Polymérisation des alcynes terminaux siliciés par un système amorceur constitué de carboxylate de Fe(III) et de triéthylaluminium: synthèse et caractérisation

Marian A. Gómez, Carlos Marco, José M. Gómez Fatou, Gabino A. Carriedo, Francisco J. García Alonso and Paloma Gómez Elipe 717 Thermal behaviour and structure of cyanophenoxy copolymers of poly(bis-phenoxyphosphazene)

P. Lauque, H. Carchano et C. Jacolin 725 Polymérisation par plasma froid d'un revêtement sur la surface interne de cathéters

Z. He, F. J. Davis and G. R. Mitchell 735 Influence of side-chain bearing units on the phase behaviour of a series of copoly(ester ether)s

R. Endršt, V. Švorčík, V. Rybka and V. Hnatowicz 747 Modification of polyethyleneterephthalate surface by the implantation of Sb^+ ions

Bernard Guyot et Bernard Boutevin 751 Détermination des coefficients d'Alfrey et Price de monomères acryliques fluorés et du méthacrylate de morpholinoéthyle

Sixun Zheng, Jinyu Huang, Wanyu Liu, Xiaotian Yang and Qipeng Guo 757 Miscibility and phase behaviour in blends of poly(vinyl alcohol) and a copolyamide

N. Pelaprat, C. Brondino, G. Rigal et B. Boutevin 761 Synthèse d'alkylphosphonates à longues chaines hydrocarbonées, modifications chimiques et applications—II. Addition de $HP(O)(OEt)_2$ sur les alcènes et phosphonation directe d'halogénures d'alkyles

V. A. Kotelnikov, I. E. Persits, N. N. Surin, L. B. Danilevskaya, H. Sekiguchi and Ch. Bui 767 Catalytic esterification of polyoxypropylene glycols applied in reaction injection moulding block copolyamide synthesis

Michel Moreau, Michèle Masure and Pierre Sigwalt 773 Influence of ring size on monomer reactivities in cationic polymerization of cyclodimethylsiloxanes: comparison of D_5, D_6 and D_7

Alice Mija, C. N. Cașcaval, Gh. Stoica, D. Roșu and B. C. Simionescu 779 Synthesis and characterization of some epoxy resins bearing azomethine groups

Maarten J. Krupers, Fred J. van der Gaag and Jan Feijen 785 Complexation of poly(ethylene oxide) with poly(acrylic acid–co-hydroxyethyl methacrylate)s

Dietrich Braun, Michael Fischer and Anna Kozera 791 Bigraft terpolymers with polybutadiene backbone and styrene as well as methyl methacrylate grafts

Short Communication

Xiaoguang Sun, Yunqing Lin and Xiabin Jing 801 Ionic conductivity of gel electrolyte based on polydiethylene glycol dimethacrylate and its copolymer

NUMBER 7

Neil A. Weir, Jerzy Arct and Alfredo Ceccarelli	805	Long-wave photodegradation of poly(3,5-dimethoxyacrylophenone) in the solid state
M. R. Ribeiro, A. Deffieux, M. Fontanille and M. F. Portela	811	Kinetic investigation of parameters governing the high-temperature polymerization of ethylene initiated by supported VCl_3 catalytic systems
B. Boutevin, J.-J. Robin, B. Boyer, J.-P. Roque et O. Senhaji	821	Étude comparative de la réaction de polymérisation en solution de monomères tensioactifs méthacryliques
T. Sato, Y. Nakagawa, T. Kawachi and M. Seno	827	Radical polymerization of 3,3-dicyanopropyl vinyl ether via an addition–abstraction mechanism
C. Hamciuc, E. Hamciuc, M. Bruma and N. M. Belomoina	837	Polybenzoxazinones and poly(benzoxazinone-phenylquinoxaline)s containing pendant imide groups
A. J. Hill, S. Weinhold, G. M. Stack and M. R. Tant	843	Effect of copolymer composition on free volume and gas permeability in poly(ethylene terephthalate)–poly(1,4 cyclohexylenedimethylene terephthalate) copolyesters
Gabriela Grigorescu, Silvia Ioan and Bogdan C. Simionescu	851	Correlation between preferential and total adsorption coefficients and the second virial coefficient for 1-chlorobutane/2-butanol/poly(methyl methacrylate) system
J. Simitzis, K. Karagiannis and L. Zoumpoulakis	857	Influence of biomass on the curing of novolac-composites
Qian Xiang and Hong-Quan Xie	865	Preparation and characterization of alkali soluble polyacrylamide-g-polyaniline
R. Scaffaro, U. Pedretti and F. P. La Mantia	869	Effects of filler type and mixing method on the physical properties of a reinforced semirigid liquid crystal polymer
Yoshinori Yoshida, Kenya Makino, Tetsuo Ito, Yoshitaka Yamakawa and Toshio Hayashi	877	Physical and biodegradation properties of A–B–A type block copolymer membranes consisting of poly(*N*-hydroxyalkyl-L-glutamine) as the A component and polybutadiene as the B component
Jianfei Liu, Zhiquan Shen and Junquan Sun	883	Polymerization of methyl methacrylate with a homogeneous neodymium catalyst: $Nd(naph)_3$–BuLi
Virgilio A. González et Ernesto López de Rivera	887	Simulation conformationnelle du polyméthylène en considerant 360 degres de liberté sur le cone de valence
A. Ferrando, G. Goffredi, P. L. Cantini and E. Bencini	899	Identification of *cis*- and *trans*-1-phenyl-2-cyanocyclobutane in the thermal copolymerization of styrene and acrylonitrile
P. A. A. P. Mamza and F. M. Folaranmi	909	Compatibility studies on solution of polystyrene and polyvinyl acetate blend by density and viscometric methods
C. del Río and J. L. Acosta	913	Determination of the interaction parameter of partially or totally compatible systems through glass transition temperature measurements

NUMBER 8

A. V. Rami Reddy, K. Subramanian, V. Krishnasamy and J. Ravichandran 919 Synthesis, characterization and properties of novel polymers containing pendant photocrosslinkable chalcone moiety

Elvan Yilmaz, Osman Yilmaz and Hamit Caner 927 Miscibility studies on polystyrene/poly(ethylene oxide) and polybutadiene-*graft*-polystyrene/poly(ethylene oxide) blends by dilute solution viscometry

Steffi Reinhardt, Volker Steinert and Kirsten Werner 935 Investigations on the dissociation behaviour of hydrolyzed alternating copolymers of maleic anhydride and propene—I. Potentiometric titrations

Steffi Reinhardt, Volker Steinert and Kirsten Werner 939 Investigations on the dissociation behaviour of hydrolyzed alternating copolymers of maleic anhydride and propene—II. Viscometric behaviour

Graeme K. Pullen, Norman S. Allen, Michele Edge, Iain Weddell, Ron Swart, Ferando Catalina and S. Navaratnam 943 Anthraquinone photoinitiators for free radical polymerisation: Structure dependence on photopolymerisation activity

Do Thi Bich Loan and Ivan M. Panayotov 957 Oligoamidoamines and oligoesteramines based on antibiotics containing β-lactam ring

Hao Tang, Xinfang Chen and Yunxia Luo 963 Electrical and dynamic mechanical behavior of carbon black filled polymer composites

Young-Do Jo, Kyo-Shik Park, Jou-Hyeon Ahn and Son-Ki Ihm 967 Hollow gelular beads of styrene–divinylbenzene copolymer prepared by suspension polymerization

Gaurab Das and A. N. Banerjee 973 Solvent-induced crystallisation of compatible poly(styrene-*co*-acrylonitrile) and poly(vinyl chloride-*co*-vinyl acetate) blends

E. M. Gutman and A. L. Bobovitch 979 Mechanical stimulation of pentabromobenzyl acrylate polymerization on $Mg(OH)_2$

Hala F. Naguib, Fakhreia A. Al Sagheer, Ahmed A. M. Ali and Maher Z. Elsabee 985 Polymerization behaviour of a new vinyl thiourea derivative

S. Ramesh and Ganga Radhakrishnan 993 Polyurethane zwitterionomers using 2,3-dihydroxypyridine

D. Ramkumar, U. R. Vaidya, M. Bhattacharya, M. Hakkarainen, A. C. Albertsson and S. Karlsson 999 Properties of injection moulded starch/synthetic polymer blends—I. Effect of processing parameters on physical properties

Yuichi Tokita and Akio Okamoto 1011 Degradation of hyaluronic acid—kinetic study and thermodynamics

Premamoy Ghosh, Bibha Chattopadhyay and Achintya K. Sen 1015 Thermal and oxidative degradation of PE–EPDM blends vulcanized differently using sulfur accelerator systems

V. N. Kislenko and Ad. A. Berlin 1023 Kinetics of interaction between water-soluble derivatives of lignin and hydrogen peroxide

Song Zhengzhe and Xu Jiping 1031 Synthesis and characterization of copolymers of dialkyl fumarates

Short Communication
Tadeusz Czerniawski and Zbigniew Wojtczak 1035 Determination of the initiation rate in the polymerization of zinc, cobalt and nickel acrylates

NUMBER 9

S. Demoustier-Champagne, J. Marchand-Brynaert and J. Devaux	1037	Synthesis and characterization of α,ω-dichloro-polymethylphenylsilane
M. Ulbricht and A. Oechel	1045	Photo-bromination and photo-induced graft polymerization as a two-step approach for surface modification of polyacrylonitrile ultrafiltration membranes
C. A. Barson, J. C. Bevington and B. J. Hunt	1055	Efficacy of precipitation in non-solvents for the recovery of pure polymers from solution
A. M. Robinson, B. Haworth and A. W. Birley	1061	Elongational rheometry of polyethylene terephthalate/bisphenol-A polycarbonate blends
Cristina-Doina Vlad, Ig. Poinescu and Elena Costea	1067	Comments on the porous structure of poly(methyl methacrylate esters) networks
S. Balasubramanian and B. S. R. Reddy	1073	5-Indanyl acrylate monomer: Synthesis, characterization and copolymerization with glycidyl methacrylate
Akikazu Matsumoto, Yoshinori Sano, Masahiro Yoshioka and Takayuki Otsu	1079	Radical polymerization of dicyclohexyl fumarate and its derivatives as studied by electron spin resonance spectroscopy
Ferenc Szőcs and Marta Klimová	1087	Fatigue-effect on free radical decay in irradiated polymethyl methacrylate
F. Iayadene, H. Guettaf, Z. Bencheikh, A. Saggou and I. Rabia	1091	2-Ethyl-1-hexanol and *n*-heptane diluents mixture effect on textural characteristics of porous styrene–divinylbenzene copolymer beads
Alberto Bolognesi, William Porzio, Geng Zhuo and Tiberio Ezquerra	1097	The thermal behaviour of poly(3-octylthienylene) synthesized by an Ni-based catalyst: DSC, optical microscopy and XRD analyses
A. I. Aigbodion and F. E. Okieimen	1105	Kinetics of the preparation of rubber seed oil alkyds
U. Sedlack and E. Nordmeier	1109	Adsorption phenomena of dextran in the mixed solvent H_2O/dioxane
T. M. Aminabhavi, H. T. S. Phayde, J. D. Ortego and J. M. Vergnaud	1117	Sorption/diffusion of aliphatic esters into tetra-fluoroethylene/propylene copolymeric membranes in the temperature interval from 25 to 70°C
A. Linares and J. L. Acosta	1127	Pyro-piezoelectric polymer materials—II. Spherulitic growth of PVDF in the presence of PMMA and/or PVA
Hong-Quan Xie, Cheng-Mei Liu and Jun-Shi Guo	1131	Further study of the preparation and properties of poly(thienylene vinylene) via an organic-soluble precursor polymer
Long-Gui Tang, Zhi-Xue Weng and Zu-Ren Pan	1139	Kinetic studies on emulsion copolymerization of vinyl acetate and acrylics in the batch process
Zhou Qing-ye, Zhang Bang-hua, Song Mou-dao and He Bing-lin	1145	Compatibilizing effect of poly(hydrogenated butadiene-methyl methacrylate) copolymer for PVC/LLDPE blends
M. V. Encinas, E. A. Lissi and C. Martinez	1151	Polymerization of 2-hydroxyethyl methacrylate induced by azo compounds: Solvent effects

F. R. Díaz, A. Godoy, L. H. Tagle, N. Valdebenito and J. C. Bernede — 1155 Poly(*p*-phenylene-diselenocarbonate) and poly(*p*-phenylene-diselenothiocarbonate): New semiconducting polymers

P. M. Nedorezova, N. M. Galashina, V. I. Tsvetkova, T. A. Sukhova, S. L. Saratovskikh, O. N. Babkina and F. S. Dyachkovskii — 1161 Isospecific polymerization of α-olefins in the presence of metallocomplex catalysts fixed on graphite

Short Communication
A. V. Shyichuk — 1167 A way to gel-point determination

NUMBER 10

S. Poser, M. Arnold and H. Fischer — 1169 Liquid crystalline side group block copolymers with a uniform polymer backbone

C. Jaimes, J. Couve, S. Crette, J. Sledz and F. Schue — 1175 Polymerization of (*R,S*)-β-butyrolactone from tetraisobutyldialuminoxane (TIBAO) catalyst

E. Favre — 1183 Swelling of crosslinked polydimethylsiloxane networks by pure solvents: Influence of temperature

N. Pelaprat, G. Rigal, B. Boutevin, A. Manseri et M. Belbachir — 1189 Addition d'alkylmercaptans sur le vinyl et l'allylphosphonate de diéthyle et modifications chimiques

L. Dammak, C. Larchet, B. Auclair, V. V. Nikonenko and V. I. Zabolotsky — 1199 From the multi-ionic to the bi-ionic potential

M. Ghaemy and M. H. Riahy — 1207 Kinetics of anhydride and polyamide curing of bisphenol A-based diglycidyl ether using DSC

Yu. D. Semchikov, L. A. Smirnova, N. A. Kopylova and V. V. Izvolenskii — 1213 The effect of monomer preferential solvation in radical copolymerization: Reactivity ratios and compositional distribution

Hao Tang, Lisong Dong, Jin Zhang, Menxian Ding and Zhiliu Feng — 1221 Study on the β relaxation mechanism of thermosetting polyimide/thermoplastic polyimide blends

S. Bastida, J. I. Eguiazábal and J. Nazábal Etxeberria — 1229 Phase and mechanical characterization of poly(ether imide)/polyarylate injection moulded blends

Adrian A. Caraculacu, Ioan Agherghinei, Paul Baron, Georgeta Caraculacu and Sergiu Coseri — 1235 Dibenzylic structures on macromolecular chain: IX. The interaction of urethane–isocyanate groups in polyurethane formation

Kuruvilla Joseph, Siby Varghese, G. Kalaprasad, Sabu Thomas, L. Prasannakumari, Peter Koshy and C. Pavithran — 1243 Influence of interfacial adhesion on the mechanical properties and fracture behaviour of short sisal fibre reinforced polymer composites

NUMBER 11

Rastislav Broska, Jozef Rychlý and Lydia Matisová-Rychlá — 1251 Chemiluminescence from tetramethyldioxetane in poly(methyl methacrylate) and polystyrene

K. Miyata, K. Muraoka, T. Itaya, T. Tanigaki and K. Inoue — 1257 Synthesis and thermal properties of polyesters from cyclotriphosphazene

Tian-Ming Chen, Yan-Feng Wang, Tetsuya Sakaguchi, Yu-Jun Li, Masaya Kitamura, Tadao Nakaya and Ikuko Sakurai	1263	Synthesis and properties of a new poly(acrylamide) containing phosphatidylcholine analogues and cholesterol groups in side chains
Christel Méalares and Alessandro Gandini	1269	Conjugated polymers bearing furan rings—II. Improvement of the processability of poly(2,5-furylene vinylene) by physical and chemical means
G. Fontana, F. Minto, M. Gleria, G. Facchin, R. Bertani and G. Favero	1273	Functionalization of poly(organophosphazenes)—V. Modification of the physico-chemical properties of poly[bis(4-methylphenoxy)phosphazene] through functionalization with anhydride groups
Shui-Yu Lu, R. Michael Paton, Michael J. Green and Andrew R. Lucy	1285	Synthesis and characterization of polyketoximes derived from alkene–carbon monoxide copolymers
G. J. Price and A. M. Patel	1289	The application of ultrasound to the synthesis of poly(organosilanes)
F. Cataldo	1297	Iodine: A ring opening polymerization catalyst for tetrahydrofuran
L. Gargallo, F. Martínez-Piña, A. Leiva and D. Radić	1303	Polymethacrylates containing indanyl groups—I. Poly(5-indanyl methacrylate). Synthesis, conformational and viscometric behaviour in dilute solution
H. Ragossnig, R. Saf and K. Hummel	1307	Synthesis and characterization of polyradicals with a polyimine backbone and nitronyl nitroxide side groups
Yuesheng Li, Mengxian Ding and Jiping Xu	1313	Structure/permeability and permselectivity relationship of polyetherimides from 1,4-bis(3,4-dicarboxyphenoxy) benzene dianhydride. II
C. Decker, T. Nguyen Thi Viet et H. Le Xuan	1319	Photoréticulation de caoutchoucs fonctionnalisés—VI. Polymérisation cationique de caoutchoucs époxydés
Jin-San Yoon, Han-Sung Yoo and Kyung-Seock Kang	1333	Solubility of α-olefins in linear low density polyethylenes
M. Rogošić, H. J. Mencer and Z. Gomzi	1337	Polydispersity index and molecular weight distributions of polymers
I. Śledzińska, E. Bialecka-Florjańczyk and A. Orzeszko	1345	Synthesis and liquid crystalline properties of cholesteryl bisesterimides with poly(ethylene oxide)s as central spacers
B. Žerjal, Ž. Jelčić and T. Malavašič	1351	Miscibility in thermoplastic polyurethane elastomer/poly(styrene-co-acrylonitrile) blends

NUMBER 12

Y. M. B. De Almeida, L. C. M. Carrera and M. J. M. Abadie	1355	Photopolymerization of multifunctional acrylates (MAM) using *trans*-10,11-dibromodibenzosuberone as a radical photoinitiator
G. M. Day, W. R. Jackson and G. P. Simon	1361	Dielectric relaxation spectra of two side chain liquid crystalline homopolymers and their copolymers

Li Kuang, Qixian Wu, Zili Yu and Yongrong Chen	1371	Study on the synthesis and property differences of two kinds of terminated poly(phenylene sulfide) oligomers
Der-Jang Liaw and Shiuh-Ping Lin	1377	Phosphorus-containing polyurethanes based on bisphenol-S, prepared by *N*-alkylation
Jin-Heong Yim, Kyung-Jun Chu, Kyung-Woo Choi and Son-Ki Ihm	1381	Syndiospecific polymerization of styrene over silica supported $CpTiCl_3$ catalysts
I. H. Do, L. K. Yoon, B. K. Kim and H. M. Jeong	1387	Effect of viscosity ratio and peroxide/coagent treatment in PP/EPR/PE ternary blends
J. Travas-Sejdic, J. Jelencic, M. Bravar and Z. Fröbe	1395	Characterization of the natural rubber vulcanizates obtained by different accelerators
Shih-Hsiung Chen, Mei-Hsiu Lee and Juin-Yih Lai	1403	Polysiloxaneimide membranes: Gas transport properties
Qipeng Guo	1409	Completely miscible ternary blends—III. Poly(vinylidene fluoride)–poly(methyl methacrylate)–poly(vinyl acetate)
P. Radhakrishnan Nair, C. P. Reghunadhan Nair and D. J. Francis	1415	Phosphazene-modified polyurethanes: Synthesis, mechanical and thermal characteristics
Zhang Linxi and Xia Agen	1421	Effect of branch points on the dynamics of polymer chains
J. O. Iroh and J. P. Berry	1425	Mechanical properties of nucleated polypropylene and short glass fiber–polypropylene composites
Lissy Jose and V. N. Rajasekharan Pillai	1431	Catalase-like activity of divinylbenzene (DVB)-crosslinked polyacrylamide supported amino metal complexes
H. J. Haitjema, R. Buruma, G. O. R. Alberda van Ekenstein, Y. Y. Tan and G. Challa	1437	New photoresponsive (meth)acrylate (co)polymers containing azobenzene pendant sidegroups with carboxylic and dimethylamino substituents—I. Synthesis and characterization of the monomers
H. J. Haitjema, R. Buruma, G. O. R. Alberda van Ekenstein, Y. Y. Tan and G. Challa	1447	New photoresponsive (meth)acrylate (co)polymers containing azobenzene pendant sidegroups with carboxylic and dimethylamino substituents—II. Synthesis and characterization of polymers and copolymers
F. E. Okieimen and C. E. Sogbaike	1457	Stabilising effect of derivatives of Jatropha seed oil on the thermal degradation of poly(vinyl chloride)
Bernard Boutevin et Abderrahim El Bachiri	1463	Copolymérisation des éthers allyliques à extrémité époxyde avec des monomères porteurs de groupes accepteurs d'electrons—II. Copolymérisation de l'éther 3,4-époxycyclohexyl méthylallylique avec les maléimides
	I	Announcement